



KEA 1000

SAT antenna Ø 100 cm



- Offset parabolic antenna 100 cm
 - Aluminum reflector
 - Metal back, pole clamp: 30-90 mm
 - Die cast aluminum food holder 40 mm
 - Foldable support arm
-
- Reflector made of aluminum, powder coated
 - Back part made of galvanized sheet steel
 - Foldable aluminum LNB support arm
 - Mast and locking clamps made of galvanized sheet steel (completely pre-assembled)
 - Screws and nuts in stainless steel version

Technische Daten / Technical Data:

| | |
|-----------------------------------|-------------------|
| Type: | KEA 1000 |
| Reflector diameter: | 970 x 1040 mm |
| Reception Area: | 10.70 – 12.75 GHz |
| Antenna gain at 11.7 GHz: | 39.7 dBi |
| Wind load 1): | 962 N |
| Max. permissible wind speed: | 180 km/h |
| Elevation setting range: | 0 – 80 ° |
| LNB recording: | 40 mm |
| Half-width: | 1.7 ° |
| Clamping range of the pole clamp: | 30 – 90 mm |
| Weight: | 7.4 kg |

1) At a dynamic pressure of 800 N/m² according to EN 60728-11

Downloads

- [KEA 1000 - Produktdatenblatt \(Version: 08/2023 - Größe: 145.06 KB\)](#)
- [KEA 650 / 750 / 850 / 1000 - Bedienungsanleitung | User Manual \(Version: gb - Größe: 2.08 MB\)](#)



Produkt Galerie:

